



Halogen Low Voltage

5974 150W GZ9.5 24V 1CT/10X10F

The long lifetime of most of the Halogen Low Voltage lamps is further extended by the unique P3 technology developed by Philips. This allows the lamp to be used at higher temperatures, thereby extending the lamp's lifetime, reducing early failures, and resulting in fewer maintenance man hour costs. P3 also ensures consistency of high-quality light output, and allows the lamp to be used in any burning position, which enables more compact fixture designs. In addition, the compact filament produces a clean white light and high beam intensity for true natural colors on stage and without any hotspots.

Product data

General Information	
Cap-Base	GZ9.5 [GZ9.5]
Philips Code	5974
ANSI Code	FDS-DZE
LIF Code	A1/262
Operating Position	S90 [Standing +/-90D or Base Down (BDH)]
Main Application	Projection
Life to 50% Failures (Nom)	50 h

Light Technical	
Luminous Flux (Rated) (Nom)	5000 lm
Correlated Color Temperature (Nom)	3400 K
Color Rendering Index (Nom)	100

Operating and Electrical	
Power (Rated) (Nom)	150 W
Voltage (Nom)	24 V

Mechanical and Housing	
Bulb Material	Quartz-UV Open


Filament Shape	Flat
Filament Dimensions WxH	5.8x2.9

Luminaire Design Requirements	
Bulb Temperature (Max)	900 °C
Pinch Temperature (Max)	400 °C

Product Data	
Full product code	871150041007850
Order product name	5974 150W GZ9.5 24V 1CT/10X10F
EAN/UPC - Product	8711500410078
Order code	923928620503
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	100
Material Nr. (12NC)	923928620503
Net Weight (Piece)	0.013 kg

Halogen Low Voltage

Dimensional drawing



Product	D (max)	L (min)	L (max)	L	P (max)	P	P (min)
5974 150W	13.5 mm	32.5 mm	34.1 mm	33.3	3.24 mm	3.17	3.10 mm
GZ9.5 24V 1CT/ 10X10F				mm		mm	

5974 150W GZ9.5 24V

