

# 64653 HLX

Halogen lamps with reflector MR16



### Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)





## Product datasheet

### Technical data

### **Product information**

#### **Electrical data**

Nominal voltage	24.0 V
Nominal wattage	250.00 W


### Photometrical data

Color temperature	3400 K
Nominal luminous flux	900 lm
Maximum color temperature	3200 K
Color rendering index Ra	100

## Light technical data

Focal length	35.0 mm

## Dimensions & weight



Diameter	51.0 mm
Length	44.5 mm

## Lifespan

	50 h
--	------

## Additional product data

Coating	True
Base (standard designation)	GX5.3
Minimum diameter of lamp enclosure	51.0 mm

## Product datasheet

## Capabilities

Cooling	Forced
Burning position	Any

## **Country specific categorizations**

ANSI code	ELC
LIF	A1/259
Order reference	64653 HLX

### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 24-04-2023				
Primary Article Identifier	4052899329348   4055462168436			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database In work				

## Country specific information

Product code	METEL-Code	SEG-No.	STK number	UK Org
4052899329348	-	-	4736553	-

### Product datasheet



#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899329348	64653 HLX	Folding carton box 1	46 mm x 46 mm x 58 mm	0.12 dm <sup>3</sup>	37.00 g
4052899329355	64653 HLX	Shipping carton box 20	238 mm x 105 mm x 123 mm	3.07 dm <sup>3</sup>	792.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### References / Links

For further technical information please refer to the following OSRAM brochure:

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

<sup>&</sup>quot;Technology and applications, Low-voltage tungsten-halogen lamps"

<sup>&</sup>quot;Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list